

Windows Boot Manager

```
-----
identifizier      {bootmgr}
device            partition=C:
path              \bootmgr
description        Windows Boot Manager
locale            de-DE
inherit           {globalsettings}
default           {current}
resumeobject      {5f429bec-91bc-11df-8646-806e6f6e6963}
displayorder      {current}
toolsdisplayorder {memdiag}
timeout           30
```

Windows Boot Loader

```
-----
identifizier      {39eafb1b-7e9a-11de-8157-b3578c2b92f4}
device            unknown
path              \Windows\system32\winload.exe
description        Windows 7 Ultimate (wiederhergestellt)
locale            de-DE
recoverysequence {39eafb1c-7e9a-11de-8157-b3578c2b92f4}
recoveryenabled   Yes
osdevice          unknown
systemroot        \Windows
resumeobject      {bcc0bf6b-eb13-11de-aad2-806e6f6e6963}
```

Windows Boot Loader

```
-----
identifizier      {39eafb1c-7e9a-11de-8157-b3578c2b92f4}
```

Windows Boot Loader

```
-----
identifizier      {current}
device            partition=C:
path              \Windows\system32\winload.exe
description        Windows 7 Ultimate
locale            de-DE
recoverysequence {39eafb1c-7e9a-11de-8157-b3578c2b92f4}
recoveryenabled   Yes
osdevice          partition=C:
systemroot        \Windows
resumeobject      {5f429bec-91bc-11df-8646-806e6f6e6963}
sos               No
debug             No
```

Windows Boot Loader

```
-----
identifizier      {39eafb25-7e9a-11de-8157-b3578c2b92f4}
```

Windows Boot Loader

```
-----
identifizier      {39eafb27-7e9a-11de-8157-b3578c2b92f4}
```

Windows Boot Loader

identifier {572bcd55-ffa7-11d9-aae0-0007e994107d}

Windows Boot Loader

identifier {d7b4b81c-a36b-11dc-98cc-d5a2bf59b169}
device unknown
path \Windows\system32\winload.exe
description Microsoft Windows Vista
locale de-DE
inherit {bootloadersettings}
recoverysequence {572bcd55-ffa7-11d9-aae0-0007e994107d}
recoveryenabled Yes
osdevice unknown
systemroot \Windows
resumeobject {d7b4b81d-a36b-11dc-98cc-d5a2bf59b169}
nx OptIn

Resume from Hibernation

identifier {5f429bec-91bc-11df-8646-806e6f6e6963}
device partition=C:
path \Windows\system32\winresume.exe
description Windows 7 Ultimate (wiederhergestellt)
locale de-DE
inherit {resumeloadersettings}
filedevice partition=C:
filepath \hiberfil.sys
pae Yes
debugoptionenabled No

Resume from Hibernation

identifier {bcc0bf6b-eb13-11de-aad2-806e6f6e6963}
device unknown
path \Windows\system32\winresume.exe
description Windows 7 Ultimate (wiederhergestellt)
locale de-DE
inherit {resumeloadersettings}
filedevice unknown
filepath \hiberfil.sys
pae Yes
debugoptionenabled No

Resume from Hibernation

identifier {d7b4b81d-a36b-11dc-98cc-d5a2bf59b169}
device unknown
path \Windows\system32\winresume.exe
description Windows Resume Application
locale de-DE
inherit {resumeloadersettings}

```
filedevice      unknown
filepath        \hiberfil.sys
pae             Yes
debugoptionenabled  No
```

Windows Memory Tester

```
identifier      {memdiag}
device          partition=C:
path            \boot\memtest.exe
description     Windows-Speicherdiagnose
locale         de-DE
inherit         {globalsettings}
badmemoryaccess Yes
```

Windows Legacy OS Loader

```
identifier      {ntldr}
device          partition=C:
path            \ntldr
description     From here Windows-Version
```

EMS Settings

```
identifier      {emssettings}
bootems        Yes
```

Debugger Settings

```
identifier      {dbgsettings}
debugtype       Serial
debugport       1
baudrate        115200
```

RAM Defects

```
identifier      {badmemory}
```

Global Settings

```
identifier      {globalsettings}
inherit         {dbgsettings}
                {emssettings}
                {badmemory}
```

Boot Loader Settings

```
identifier      {bootloadersettings}
inherit         {globalsettings}
```

Resume Loader Settings

```
identifier      {resumeloadersettings}
inherit         {globalsettings}
```

Device options

```
-----  
identifier {39eafb1d-7e9a-11de-8157-b3578c2b92f4}  
ramdisksdidevice unknown  
ramdisksdipath \Recovery\39eafb19-7e9a-11de-8157-  
b3578c2b92f4\boot.sdi
```

Device options

```
-----  
identifier {39eafb26-7e9a-11de-8157-b3578c2b92f4}  
ramdisksdidevice unknown  
ramdisksdipath \Recovery\39eafb20-7e9a-11de-8157-  
b3578c2b92f4\boot.sdi
```

Setup Ramdisk Options

```
-----  
identifier {ramdiskoptions}  
description Ramdisk options  
ramdisksdidevice unknown  
ramdisksdipath \boot\boot.sdi
```

Color code:

Entries to be removed

Entries to be fixed